

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant:	G-Star Pte Ltd	Manufacturer:	LIGHT&HOPE ENERGY COMPANY LIMITED
Address:	6 RAFFLES QUAY, # 14-06 SINGAPORE (048580)	Address:	NO. 88/23-25 MU 15 BANG SAOT HONG, SUB-DISTRICT, BANG SAO THONG DISTRICT, SAMUT PRAKARN PROVINCE
Country:	SINGAPORE	Country:	THAILAND
Party Authorized To Apply Mark:	Same as Manufacturer		
Report Issuing Office:	Intertek Testing Services Shanghai Limited		
Control Number:	<u>5024551</u>	Authorized by:	 for L. Matthew Snyder, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.
545 East Algonquin Road, Arlington Heights, IL 60005
Telephone 800-345-3851 or 847-439-5667 Fax 312-283-1672

	<p>Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements for Construction [UL 61730-1:2022 Ed.2]</p> <p>Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements for Testing [UL 61730-2:2022 Ed.2+R:25Apr2023]</p> <p>Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements for Construction [CSA C22.2#61730-1:2019 Ed.2]</p> <p>Standard(s): Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements for Testing [CSA C22.2#61730-2:2019 Ed.2]</p> <p>Terrestrial Photovoltaic (PV) Modules - Design Qualification and Type Approval - Part 1: Test Requirements [UL 61215-1:2021 Ed.2]</p> <p>Terrestrial Photovoltaic (PV) Modules - Design Qualification and Type Approval - Part 1-1: Special Requirements for Testing of Crystalline Silicon Photovoltaic (PV) Modules [UL 61215-1-1:2021 Ed.2]</p> <p>Terrestrial Photovoltaic (PV) Modules - Design Qualification and Type Approval - Part 2: Test Procedures [UL 61215-2:2021 Ed.2]</p>
Product:	Crystalline Silicon Photovoltaic Module
Brand Name:	Gstar, STDARD
Models:	<p>GSD7S followed by 78T-; followed by 610, 615, 620, 625, 630, 635 or 640; followed by WT or BT. GSD7S followed by 72T-; followed by 565, 570, 575, 580, 585 or 590; followed by WT or BT. GSD7S followed by 66T-; followed by 515, 520, 525, 530, 535 or 540; followed by WT or BT. GSD7S followed by 60T-; followed by 470, 475, 480, 485 or 490; followed by WT or BT. GSD7S followed by 54T-; followed by 420, 425, 430, 435 or 440; followed by WT or BT. GSD8J66M followed by 650, 655, 660, 665, 670 or 675; followed by WT or BT. GSD8J60M followed by 590, 595, 600, 605 or 610; followed by WT or BT. GSD7G78M followed by 575, 580, 585, 590, 595, 600, 605 or 610; followed by WT or BT. GSD7G72M followed by 530, 535, 540, 545, 550, 555 or 560; followed by WT or BT. GSD7G66M followed by 485, 490, 495, 500, 505, 510 or 515; followed by WT or BT. GSD7G60M followed by 440, 445, 450, 455, 460, 465 or 470; followed by WT or BT. GSD7G54M followed by 395, 400, 405, 410, 415 or 420; followed by WT or BT.</p>

This authorizes the application of the Certification Mark(s) shown below to the models described in the Product(s) Covered section when made in accordance with the conditions set forth in the Certification Agreement and Listing Report. This authorization also applies to multiple listee model(s) identified on the correlation page of the Listing Report.

This document is the property of Intertek Testing Services and is not transferable. The certification mark(s) may be applied only at the location of the Party Authorized To Apply Mark.

Applicant:	G-Star Pte Ltd	Manufacturer:	Ocean Energy Company Limited
Address:	6 RAFFLES QUAY, # 14-06 SINGAPORE (048580)	Address:	998/106-109, 998/111 MOO.9, Bang Pla Subdistrict, Bang Phli District Samut Prakarn
Country:	SINGAPORE	Country:	Thailand
Party Authorized To Apply Mark:	Same as Manufacturer		
Report Issuing Office:	Intertek Testing Services Shanghai Limited		
Control Number:	<u>5027036</u>	Authorized by:	 for L. Matthew Snyder, Certification Manager



This document supersedes all previous Authorizations to Mark for the noted Report Number.

This Authorization to Mark is for the exclusive use of Intertek's Client and is provided pursuant to the Certification agreement between Intertek and its Client. Intertek's responsibility and liability are limited to the terms and conditions of the agreement. Intertek assumes no liability to any party, other than to the Client in accordance with the agreement, for any loss, expense or damage occasioned by the use of this Authorization to Mark. Only the Client is authorized to permit copying or distribution of this Authorization to Mark and then only in its entirety. Use of Intertek's Certification mark is restricted to the conditions laid out in the agreement and in this Authorization to Mark. Any further use of the Intertek name for the sale or advertisement of the tested material, product or service must first be approved in writing by Intertek. Initial Factory Assessments and Follow up Services are for the purpose of assuring appropriate usage of the Certification mark in accordance with the agreement, they are not for the purposes of production quality control and do not relieve the Client of their obligations in this respect.

Intertek Testing Services NA Inc.
545 East Algonquin Road, Arlington Heights, IL 60005
Telephone 800-345-3851 or 847-439-5667 Fax 312-283-1672

	<p>Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements for Construction [UL 61730-1:2022 Ed.2]</p> <p>Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements for Testing [UL 61730-2:2022 Ed.2+R:25Apr2023]</p> <p>Photovoltaic (PV) Module Safety Qualification - Part 1: Requirements for Construction [CSA C22.2#61730-1:2019 Ed.2]</p> <p>Standard(s): Photovoltaic (PV) Module Safety Qualification - Part 2: Requirements for Testing [CSA C22.2#61730-2:2019 Ed.2]</p> <p>Terrestrial Photovoltaic (PV) Modules - Design Qualification and Type Approval - Part 1: Test Requirements [UL 61215-1:2021 Ed.2]</p> <p>Terrestrial Photovoltaic (PV) Modules - Design Qualification and Type Approval - Part 1-1: Special Requirements for Testing of Crystalline Silicon Photovoltaic (PV) Modules [UL 61215-1-1:2021 Ed.2]</p> <p>Terrestrial Photovoltaic (PV) Modules - Design Qualification and Type Approval - Part 2: Test Procedures [UL 61215-2:2021 Ed.2]</p>
Product:	Crystalline Silicon Photovoltaic Module
Brand Name:	Gstar, STDARD
Models:	<p>GSD7S followed by 78T-; followed by 610, 615, 620, 625, 630, 635 or 640; followed by WT or BT. GSD7S followed by 72T-; followed by 565, 570, 575, 580, 585 or 590; followed by WT or BT. GSD7S followed by 66T-; followed by 515, 520, 525, 530, 535 or 540; followed by WT or BT. GSD7S followed by 60T-; followed by 470, 475, 480, 485 or 490; followed by WT or BT. GSD7S followed by 54T-; followed by 420, 425, 430, 435 or 440; followed by WT or BT. GSD8J66M followed by 650, 655, 660, 665, 670 or 675; followed by WT or BT. GSD8J60M followed by 590, 595, 600, 605 or 610; followed by WT or BT. GSD7G78M followed by 575, 580, 585, 590, 595, 600, 605 or 610; followed by WT or BT. GSD7G72M followed by 530, 535, 540, 545, 550, 555 or 560; followed by WT or BT. GSD7G66M followed by 485, 490, 495, 500, 505, 510 or 515; followed by WT or BT. GSD7G60M followed by 440, 445, 450, 455, 460, 465 or 470; followed by WT or BT. GSD7G54M followed by 395, 400, 405, 410, 415 or 420; followed by WT or BT.</p>